Competitive ELISA kit for the detection of anti-Rift Valley Fever (RVF) antibodies in serum or plasma from multiples species.

For research use only on human samples: see References (*).

- This test does not contain any virus particles
- Excellent analytical sensitivity, sensitivity and specificity, as proven in recent outbreaks
- **Multi-species test**: may be used on ruminants, horses, dogs and other species. For research use only on human samples: see References (*).
- **Convenient and rapid format**: ready-to-use, coated plates in strips, and all other components in liquid format. Results in less than 2 hours.
- **Practical**: you can easily check that all samples have been correctly deposited because the dilution buffer changes color upon addition of the sera

SPECIFICATIONS

Method	Competitive ELISA		
Species	Multiple species, including ruminants, camels, horses, dogs and others. For research use only on human samples: see References (*).		
Specimens	Serum or plasma		
Coated antigen	RVF Virus nucleoprotein (NP)		
Conjugate	Anti-NP-HRP conjugate (concentrated 10X)		

ORDERING INFORMATION

Product code	RIFTC-4P	RIFTC-10P
Kit format	4 plates	10 plates
Reactions	384	960
Plate format	12 x 8-well strips	12 x 8-well strips

REFERENCES

- Comtet, L. et Pourquier, P. (IDvet), Marié, J-L. & Davoust, B. (French Defence Medical Service, Working group of animal epidemiology, Marseille, France), Cêtre-Sossah, C. (CIRAD, Montpellier, France). Preliminary validation of the ID Screen® Rift Valley Fever Competition Multi-species ELISA. Poster presented at the 2010 EAVLD meeting, Lelystad, The Netherlands.
- Ahmed B. et al. Unexpected Rift Valley Fever Outbreak, Northern
 Mauritania. Emerging Infectious Diseases. Vol. 17, No. 10. October 2011.
- Kortekaas, J. et al. European ring trial to evaluate ELISAs for the diagnosis of infection with Rift Valley fever virus. Journal of Virological Methods.
 September 2012.
- Antonis, A.F.G. et al. Vertical Transmission of Rift Valley Fever Virus Without
 Detectable Maternal Viremia. Vector-borne and zoonotic diseases. Vol. 13, No. X. May 2013.
- Bronsvoort B., Bagninbom J-M. et al.(2019). Comparison of Two Rift Valley
 Fever Serological Tests in Cameroonian Cattle Populations Using a
 Bayesian Latent Class Approach. Front. Vet. Sci. 6:258.
- (*) A.M. Mohamed, et al. Seroepidemiological survey on Rift Valley fever among small ruminants and their close human contacts in Makkah, Saudi Arabia, in 2011. Rev. sci. tech-Off. int. Epiz., 2014, 33 (3), 903-915
- (*) Opayele A,. Odaibo G. et al.(2018). Rift valley fever virus infection among livestock handlers inlbadan, Nigeria. Journal of Immunoassay and Immunochemistry, Vol. 39, No. 6, 609–621
- (*) Budodo R., Horumpende G. et al. (2020). Serological evidence of exposure to Rift Valley, Dengue and Chikungunya Viruses among agropastoral communities in Manyara and Morogoro regions in Tanzania: A community Survey. doi.org/10.1101/2020.01.16.908830
- (*) Ibrahim M., Schelling E.et al. (2020). Sero-prevalence of brucellosis, Q-fever and Rift Valley Fever in humans and livestock in Somali region, Ethiopia. doi: https://doi.org/10.1101/2020.01.31.928374

More external references available upon request.

ASSOCIATED PRODUCTS

Rift Valley Fever IgG-positive freeze-dried serum

Product code	MRI-RIFT
Format	1 ml vial (freeze-dried)
Description	Freeze-dried positive bovine serum to be used as internal reference material for quality control.