





) CANINE LEISHMANIASIS

ID Screen® Leishmaniasis Indirect

Indirect ELISA kit for the detection of anti-*Leishmania infantum* antibodies in canine serum and plasma.

- Particularly rapid, notably in comparison with indirect immunofluorescence
- Improved specificity thanks to the use of a *L. infantum* purified antigen
- Easy-to-use, with results in 90 minutes

Leishmania infantum negative

Specifications

| Method | Indirect ELISA | |
|----------------|--|--|
| Species | Dogs | |
| Specimens | Serum and plasma | |
| Coated antigen | L. infantum purified antigen | |
| Conjugate | Anti-canine IgG-HRP conjugate (concentrated 10X) | |

Ordering information

| Product code | LEISHS-2P |
|--------------|--------------------|
| Kit format | 2 plates |
| Reactions | 192 |
| Plate format | 12 x 8-well strips |

Leishmania infantum Immunofluorescent Slides

| Product Code | IFI-LEISH |
|--------------|---|
| Format | 10 slides, 10 reactions per slide. |
| Description | Slides for the serodiagnosis of <i>Leishmania</i> by indirect immunofluorescence (IIF) in dog sera. |

Associated Products

Leishmania infantum positive

| freeze-dried serum | | freeze-dried serum | |
|---------------------|---|---------------------|--|
| Product Code | MRI-LEISH | Product Code | MRINEG-LEISH |
| Format | 1 ml vial (freeze-dried) | Format | 2 ml vial (freeze-dried) |
| Description | Freeze-dried, highly-positive serum from a naturally-infected dog. Produces a positive reaction when analysed by ELISA or by IFAT (Indirect Fluorescent Antibody Test) To be used as internal reference material for quality control. | Description | Freeze-dried negative canine serum. Produces a negative reaction when analysed by ELISA or by IFAT (Indirect Fluorescent Antibody Test) To be used as internal reference material for quality control. |